

An Efficient Method to Alter the Drop Volume of Topical Ophthalmic Medications

Joshua Levar MD, MS, Bruce Gaynes OD, PharmD, Charles Bouchard MD Department of Ophthalmology, Loyola University Health Systems, Stritch School of Medicine, Maywood, IL

Introduction

An aqueous solution delivered topically to the corneal surface remains the preferred method of ophthalmic medication delivery (5,8). The current design of commercial eye drop bottles for multi-use ophthalmic solutions are fairly uniform in nature and involve plastic bottles of varying volumes that incorporate an applicator tip of a given bore size for solution release. However, this method of administration is fundamentally flawed as only a small portion of the applied dosage actually penetrates the eye while the majority is rapidly swept away where it is made available for absorption into the systemic circulation (2,3).

An upright patient, when not blinking, can maintain a maximum fluid volume of approximately 30 µl within the palpebral fissure (7). Normal human tear volume occupies approximately 7 µl of this volume, leaving an additional 23 µl before overflow occurs. The volume of commercially available ocular medications varies widely, but has been determined to range between 25.1 and 56.4 µl by Lederer et al (6). Cost-analysis studies have identified average drop volumes ranging from 26.4 to 69.4 µl (9). Following an increase in volume, the excess fluid volume is diminished rapidly by multiple mechanisms including reflex blinking, tearing, and drainage via the nasolacrimal system. Normal tear volume is restored within two to three minutes with ait Maste precipitous decrease in volume noted within the first thirty seconds (7,9). In animal models, drainage via the nasolacrimal ducts has been demonstrated to be have a linear relationship with the volume of drop administered (2). Within the nasopharynx, the drug may then be absorbed into the systemic circulation avoiding firstpass hepatic metabolism (9). Further, the ratio of absorbed to administered drug increases with decreasing volumes of instilled medications in rabbit models (1).

Reduction of eye drop volume has been demonstrated to provide equal or improved bioavailability with reduction of systemic drug loss, decreasing the potentia for toxicities (3). Drop size is dependent on bore size of the applicator tip, surface tension of the medication, and the angle at which the drop is administered (4). The purpose of this study was to evaluate a novel method for reliably and predictably reducing the drop size of commercially available ophthalmic medications.

Methods

This study incorporated the utility of commercially available 15 mL low density polyethylene (LDPE) bottles with a curve from the bottle reservoir through the neck allowing smooth flow configured with a Luer lock cap. The bottle was configured with four 0.5 inch and one 1.5 inch long Luer lock flexible polypropylene dispensing tips of 0.250, 0.840 and 1.370 mm inside diameter bore size (Figure 1).

The mean drop volume for each tip size was determined by densitometric methodology using sterile water as the test article. An analytical balance with readability to 0.1mg was employed for determination of drop mass. An LDPE bottle was fitted with each dispensing tip, and then the bottle held at 90 degrees from the horizontal. Ten drops were administered into a plastic specimen dish and the mass calculated. This process was subsequently repeated so that 8-14 mass measurements were obtained, each for a set of ten drops.

The volume of each drop was determined by dividing each set of drops by ten (the number of drops dispensed) to determine the average mass which was then divided by the density of sterile water, 994.0 mg/ml. Coefficient of variation in drop volume for each dispenser tip was significant difference in mean values existed.

Graphs and Figures

Graph 1: Drop Volume by Bore Diameter





Figure 1:
Top: 1.5" 0.250 mm bore dispenser
Middle: 0.5" 0.840 mm bore dispenser.
Bottom: 0.5 " 0.840 mm bore dispenser with Luer lock cap affixed to a commercially available 0.5 oz artificial tear bottle.

Results

demonstrated on Graph 1. Mean drop volume for the 0.5" tips

of 0.250, 0.840 and 1.370 mm bore size was 11.34, 18.39 and

variation in drop volume ranged from 3.96-5.57%. A one way

significant difference between mean drop volumes (p < 0.0001).

significant difference in all paired groupings with the exception

Tukey multiple comparisons post-test showed a statistically

28.15 μL respectively (Graph 2). Mean drop volume for the

1.5" 0.250 mm bore needle was 11.22 μL. Coefficient of

analysis of variance (ANOVA) demonstrated a statistically

of the 0.5 and 1.5" 0.250 mm bore size categories.

Drop volume measured for each experimental set is

Graph 2: Average Volume Dispensed

References

Acknowledgements

The authors wish to acknowledge the contributions of the

conduct of this work and The Richard A. Perritt Charitable

Illinois Society for the Prevention of Blindness in the

Foundation.

- Adler et al. Systemic effects of eye drops. Arch Intern Med. 142:2293-4, 1982.
- 2. Chrai et al. Lacrimal and instilled fluid dynamics in rabbit eyes. J Pharm Sci. 62:1112-1121, 1973.
- File, R and Patton, T. Human pupillary response as a function of drop size. Arch Ophthalmol. 98: 112-115.
- Gaynes, Singa, and Cao. Dosage variability of Topical Ocular Hypotensive Products: A Densitometric Assessment. J Glaucoma. 18 (2):149-152, 2009.
- Lang J. Ocular drug delivery conventional ocular formulations. Adv Drug Del Rev. 16:39-43, 1995.
- 6. Lederer, C and Harold, R. Drop size of commercial glaucoma medications. Am J Ophthalmol. 101:691-4, 1986
- Mishima et al. Determination of tear volume and tear flow. Inv Ophthalmol. 5:264-76, 1966.
- Olejnik, O. Conventional systems in ophthalmic drug delivery. Basel: Marcel Dekker: 177-198,1993.
- Santvliet, L and Ludwig, A. Determinants of eye drop size. Surv Ophthalmol. 49 (2): 197-213, 2004.

Conclusion

Topical ophthalmic drop volume can be modifiable in a reliable and precise manner through use of a novel Luer lock tip-bottle combination system. The system can provide desired flexibility in dosing topical ophthalmic medication simply through changes in the bore of the delivery tip. Further study will examine the safety and efficacy of such a system in-vivo through dose-response measurements.



All tips are composed of flexible polypropylene.